



INJECTION TRAY 200ML

Eco-Friendly Medical Pulp



Made from
Biodegradable
Sugarcane Bagasse

Designed for Single Use to
Reduce Risk of Infection




Injection Tray 200ml Eco-Friendly Medical Pulp


The Food Grade Injection Tray with 200ml rated capacity is made from eco-friendly biodegradable sugarcane bagasse, intended for use as multi-purpose tray to carry syringes and other medical items. It is designed with smooth inner finishing and meshed outer surface for extra grip.

Manufactured as single-use disposable medical pulp to meet the requirement to hold water and/or human waste for a minimum period of four hours at an initial temperature of 35°C. Suitable for disposal into macerator which complies with PAS29:1999 "Disposable Pulp For Use in Healthcare".

User Guide



Place surgical items on the Injection Tray.



After use, dispose the Injection Tray into macerator or appropriate waste bins.

Features

- Ideal for surgical procedures
- Able to retain water for at least 4 hours
- Non-sterile, single use tray
- Meshed outer surface for better grip
- Made from sugarcane bagasse
- Biodegradable and compostable
- Can be disposed into macerator
- Manufactured in accordance with:
 - EU Regulation No. 1935/2004 Materials intended to come into contact with food
 - US FDA 21 CFR 176.170 Components of paper and paperboard in contact with aqueous and fatty foods.

Caution

- Do not pour alcohol based solutions into the injection tray.



Single-Use



Macerator
Friendly



Eco-Friendly



Water
Retention



Stackable



Recycled



No Direct
Sunlight



Keep Dry

PRODUCT DESCRIPTION

Injection Tray 200ml

PRODUCT SIZE

200 x 75 x 30mm

PACKAGING

1000 pcs per carton

CARTON DIMENSION

400 x 300 x 230mm

UDI-DI: 95510204302360

ORDER CODE: 101xxxTIJ0200 (xxx to be assigned upon ordering)



APEX PULP PTE LTD

Company Registration No.: 200715327H
 132 Joo Seng Road #04-01, Singapore 368358
 Tel: +65 6817 8969 | Fax: +65 6636 9813
www.apexpulp.com | sales@apexpulp.com

DOC. REF: APEX-PIB-TIJ0200
 Date of Revision: 09/01/2026
 Revision: 2